Translation of Decision of Rejection

Text:

The present application is unpatentable.

Grounds:

Section 20 (2) of the Patent Law

Reason:

- 1. The present application relates to an "image display apparatus, and a method and apparatus for manufacturing the same". The image display apparatus has a housing having a front surface panel and a rear surface panel, which are opposed to each other and sealed at their peripheral portions. The sealed portions are sealed by a sealing member, which is conductive and melts by applying a current. At the time of manufacturing, a current is applied to the sealing member provided on portions to be sealed and thereby the sealing member is melted. Thereafter, the current is stopped and the sealing member is cooled and solidified, and thereby the peripheral portions of the front surface panel and the rear surface panel are sealed.
 - 2. The main feature of the present application is that the sealed portions

between the front surface panel and the rear surface panel are sealed by the sealing member which is conductive and melts by applying a current. However, USP 5, 827, 102 (as shown in the attached document) published on October 27, 1998 discloses a vacuuming and sealing method in a field emission display, wherein a conductive sealing member formed of indium or indium alloy is provided between its front surface panel and rear surface panel. The structure disclosed in USP 5, 827, 102 has the same function as that of the present invention. The present invention simply uses the prior art, and is different from the prior art only in heating the sealing member by applying a current, and thus

- 3. Taking the above into consideration, the present invention is regarded as being easily accomplished by one skilled in the art by applying the prior art before the present application was filed, and thus fails to satisfy the requirements for patentability.
 - 4. Attached Document: US 5827102

has no inventive step.

By the above, the present application has been concluded as failing to satisfy the requirements for patentability according to Section 20 (2) of the Patent Law.

If the applicant has an objection to the decision, the applicant can request reexamination of the present application within 30 days of the day after receiving this notice, by filing two copies of a request for reexamination and the Official fee of NT \$ 6000 (with respect to applications whose total number of pages of the specification and drawings is 50 or more, NT \$ 500 is added per 50 extra pages, an application less than 50 pages is counted as 50 pages) with the Patent Office.

装

7

缑

經濟部智慧財產局專利核駁審定書

受 文 者:東芝股份有限公司(代理人:林志刚

楼 址:臺北市中山區南京東路二段一二五號七

發文字號:〈九二〉智專二(一)04084字發文日期:中華民國九十二年五月二十六日

、申請案號數:〇九一一〇八三六九

專利分類IPC(7)···H01J 1/00

發明名稱: 畫像顯示裝置 ,畫像顯示裝置的製造方法及製造裝置

名稱:

名稱:東芝股份有限公司

地址::日本

、專利代理人:

四

姓名:林志剛 先生

地址:臺北市中山區南京東路二段一二五號七樓

五、申請日期:九十一年四月二十三日

六、優先權項目·

1 2001/04/23 日本2001-124685

第一頁

c:\A9200170.643

* 09220516360*

I D=

P65/17

989 N-422

686-A

80.9

85:60 80-90-90 69:01 90-90-80.

CO . 1

缭

日本2001-316921

2001/10/23 日本2001-325370

2001/08/27 日本2001-256313 2001/10/29 日本2001-331234

審查人員姓 名: 陳基發 委員

七

審定內容:

依

主文: 理 據 由 專 本案應 本案 利法第二十條第二項 不予專利

二)本案之 封部使用 其具備 「畫像顯示裝置、 有外圍 主 具有導電性 要特 徴 器 為 1 在 該 藉 外圍 正 畫像顯示裝置的製造 由 面 器具 和 通 電 背 而 有 面 基 相 溶 板 解 向 闁 的 配 约 密 置 密 封 且 構 <u>Ł.</u> 方 封 部 件 法 緣 係 被 被 及製造裝置」 使 密 密 用具有導電性 封 封 的 JE. 面 揭示 及背面基板 且 藉 種畫像顯示裝置 由 通 其中之密 電 ग्र 热溶

藉 坱 二號案即 由 銦 的 密封 或 通 電 銦 栭 合 揭 構 件 將 金之等電性 亦 密 被 種場 封 密 材料 封 發 , <u>查</u> 密 射 加熱,其為簡單之習知技術 封 顯 九 材 亦 裝 九 料 置 入 年 利 <u>≯</u>. 抽 用 真空及 月二十 加 熱 而 密封 密 + 封 日 應用 方法 公告之美國專 , 具有與本案相 ,其在 不具進步性 正 面 利 同 和 柔 背面 之 编 功 號 能 板 五 之間 入 本案 置 七 僅 放 例 O

第二百

c:\A9200170.643

508/17

N-455

R-989

90.9

I D=

85:60 80-90-90 65:01 90-90-80.

栽

ま丁 : 絘

(三) 綜上所述 謂符合發明專利要件 本案係運用申 請前既有之技術 祈 項技 者所 能輕易完成者 黈

四) 檢附引證資料: US 5827102號

據 上 論結 本案不符法定專利要件,爰依專利法第二十條第二項,審定如主 文





整〈專利說明書及圖式合計在五 到 之次 H 十頁以 起三十日 上者 內 每五十頁加收新台幣五百元 備 具再審查理 由書一式二份及規費新台幣陸仟元 依照分層負責規定授權單位主管決行 ,其不足五十頁者以

如

不服

本審定

,得於

文

五

十頁計)

向本局申請再審查

第三頁

c:\A9200170.643

11-455

501/11

R-989

65:60 20-90-90 69:0L 90-90-EO.

= Q 1 70.9